

In The Claims:

Please amend the Claims as follows:

1. (Currently Amended) A method for generating summaries of a video comprising the steps of:

generating an organized tree of stories responsive to the video;

~~inputting~~ providing summary sentences, visual information and a section-begin frame and a section-end frame for each story in ~~a video~~ the tree;

selecting a type of presentation;

locating a set of images available for each story;

auditing the summary sentences to generate a plurality of summary audio segments corresponding to an auditory narration of each story;

composing the set of images to selectively match the set of images with the summary sentences to generate a plurality of summary image segments;

matching said summary audio segments with the summary image segments to generate a story summary video for each story in ~~the video~~ the tree; and

combining each of the generated story summaries to generate a summary of the video.

2. (Original) The method of claim 1, wherein the visual information comprises at least one of a shotlist, a keyframelist and a combination thereof.

3. (Original) The method of claim 1, wherein the summary sentences are generated by:

generating story boundaries and sentence data using a story extractor;

selecting a length of a story summary;

summarizing said sentence data to produce at least one summary sentence, wherein a number of the summary sentences produced corresponds to the length of the story summary; and

ordering the at least one summary sentence based on its selection order.

4. (Original) The method of claim 1, wherein the type of presentation comprises an image slide format.

5. (Original) The method of claim 1, wherein the type of presentation comprises a poster format.

6. (Original) The method of claim 1, wherein the section-begin frame and the section-end frame determines a story boundary.

7. (Original) The method of claim 1, wherein the step of locating the set of images further comprises the steps of:

collecting a list of images within a story boundary;

generating a mergelist for clustering images corresponding to each shot into visually similar groups;

deleting images belonging to a largest visually similar group; and

sampling a remaining list of images to produce the set of images.

8. (Original) The method of claim 7, wherein the sampling is performed uniformly with a sampling interval determined by a number of images desired for a given length of story summary.

9. (Original) The method of claim 7, wherein the step of sampling further comprises selecting a frame number of each proper noun.

10. (Currently Amended) A method for generating summaries of a video, comprising the steps of:

generating an organized tree of stories responsive to the video;

~~inputting~~ providing story summary sentences, video information and speaker segments for each story in ~~a video~~ the tree;  
locating video clips for each story from said video information;  
capturing audio clips from the video clips, said audio clips corresponding to the summary sentences;  
composing the video clips to selectively match the video clips with the summary sentences to create a plurality of composed video clips;  
combining said corresponding audio clips with the composed video clips to generate a story summary video for each story in ~~the video~~ the tree; and  
combining each of the generated story summaries to generate a summary of the video.

11. (Original) The method of claim 10, wherein the summary sentences are generated by:

generating story boundaries and sentence data using a story extractor;  
selecting a length of a story summary;  
summarizing said sentence data to produce at least one summary sentence, wherein a number of the summary sentences produced corresponds to the length of the story summary; and  
ordering the at least one summary sentence based on its selection order.

12. (Currently Amended) A program storage device readable by a machine, tangibly embodying a program of instructions executable by the machine to perform method steps for generating summaries of a video, the method steps comprising the steps of:

generating an organized tree of stories responsive to the video;  
providing summary sentences, visual information and a section-begin frame and a section-end frame for each story in ~~a video~~ the tree;  
selecting a type of presentation;

locating a set of images available for each story;  
auditing the summary sentences to generate a plurality of summary audio segments corresponding to an auditory narration of each story;  
composing the set of images to selectively match the set of images with the summary sentences to generate a plurality of summary image segments; and  
matching said summary audio segments with the summary image segments to generate a story summary video for each story in the ~~video tree~~, wherein a summary of the video is generated by combining each of the generated story summaries.

13. (Original) The program storage device of claim 12, wherein the visual information comprises at least one of a shotlist, a keyframelist and a combination thereof.

14. (Original) The program storage device of claim 12, wherein the instructions for generating summary sentences comprise instructions for performing the steps of:

generating story boundaries and sentence data using a story extractor;  
selecting a length of a story summary;  
summarizing said sentence data to produce at least one summary sentence, wherein a number of the summary sentences produced corresponds to the length of the story summary; and  
ordering the at least one summary sentence based on its selection order.

15. (Original) The program storage device of claim 12, wherein the type of presentation comprises an image slide format.

16. (Original) The program storage device of claim 12, wherein the type of presentation comprises a poster format.

17. (Original) The program storage device of claim 12, wherein the section-begin frame and the section-end frame determines a story boundary.

18. (Original) The program storage device of claim 12, wherein the step of locating the set of images further comprises the steps of:

collecting a list of images within a story boundary;

generating a mergelist for clustering images corresponding to each shot into visually similar groups;

deleting images belonging to a largest visually similar group; and

sampling a remaining list of images to produce the set of images.

19. (Original) The program storage device of claim 18, wherein the sampling is performed uniformly with a sampling interval determined by a number of images desired for a given length of story summary.

20. (Original) The program storage device of claim 18, wherein the step of sampling further comprises selecting a frame number of each proper noun.